



# High-Performance Steel Wrapper Belt GK3CP 2DPU/1DPU



The new GK3CP 2DPU/1DPU is a high-performance belt for steel wrapper (coil winder) applications in the metal industry, where longevity is appreciated as a way to avoid expensive downtime. The belt's endless woven carcass with duroplastic urethane (DPU) covers provides an extremely durable, splice-free conveyor with high cut and impact resistance in a very demanding application, where it is impacted by the leading edges of metal coils.


The GK3CP 2DPU/1DPU is particularly suitable for steel wrapper and coil winder applications found in plants producing steel, copper and aluminum rolls:

- Highly cut-resistant high-grip cover
- Manufactured in lengths from 2.5 m to 20.0 m
- Widths available of up to 1.9 m with cut edges, or 2.0 m with uncut edges
- Joining is not necessary since each belt is made endless woven to the required length



Key features	Your benefits
<ul style="list-style-type: none"> <li>• Cut and gouge resistant cover with reliable grip</li> </ul>	<ul style="list-style-type: none"> <li>• Durable, maintenance-free processes</li> <li>• Long belt service life</li> <li>• Low lifecycle costs</li> </ul>
<ul style="list-style-type: none"> <li>• High-strength endless woven PET fabric</li> </ul>	<ul style="list-style-type: none"> <li>• Low stretch characteristics</li> <li>• Reduced re-tensioning and downtimes</li> <li>• Good belt tracking</li> <li>• Low maintenance costs</li> </ul>
<ul style="list-style-type: none"> <li>• Chemical resistant DPU cover</li> </ul>	<ul style="list-style-type: none"> <li>• No hardening or cracking</li> <li>• Long belt service life</li> </ul>
<ul style="list-style-type: none"> <li>• Belt design flexibility: cover thickness and materials options</li> </ul>	<ul style="list-style-type: none"> <li>• A customized belt for your specific application</li> </ul>

### Cross-section



DPU covered conveying side surface

PET fabric traction layer

DPU covered running side

### Technical key data

Type	Thickness		Tensile force for 1% elongation (relaxed)		Color of conveying side
	mm	inch	N/mm	lbs/inch	
GK3CP 2DPU/1DPU	3.0	0.12	29	167	Transparent

This **disclaimer** is made by and on behalf of Habasit and its affiliated companies, directors, employees, agents and contractors (hereinafter collectively "HABASIT") with respect to the products referred to herein (the "Products"). SAFETY WARNINGS SHOULD BE READ CAREFULLY AND ANY RECOMMENDED SAFETY PRECAUTIONS BE FOLLOWED STRICTLY! Please refer to the Safety Warnings herein, in the Habasit catalogue as well as installation and operating manuals. All indications/information as to the application, use and performance of the Products are recommendations provided with due diligence and care, but no representations or warranties of any kind are made as to their completeness, accuracy or suitability for a particular purpose. The data provided herein are based on laboratory application with small-scale test equipment, running at standard conditions, and do not necessarily match product performance in industrial use. New knowledge and experience may lead to re-assessments and modifications within a short period of time and without prior notice.

EXCEPT AS EXPLICITLY WARRANTED BY HABASIT, WHICH WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, THE PRODUCTS ARE PROVIDED "AS IS". HABASIT DISCLAIMS ALL OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE, ALL OF WHICH ARE HEREBY EXCLUDED TO THE EXTENT ALLOWED BY APPLICABLE LAW. BECAUSE CONDITIONS OF USE IN INDUSTRIAL APPLICATION ARE OUTSIDE OF HABASIT'S CONTROL, HABASIT DOES NOT ASSUME ANY LIABILITY CONCERNING THE SUITABILITY AND PROCESS ABILITY OF THE PRODUCTS, INCLUDING INDICATIONS ON PROCESS RESULTS AND OUTPUT.

Headquarters  
 Habasit AG  
 CH-4153 Reinach-Basel  
 Phone +41 61 715 15 15  
 Fax +41 61 715 15 55  
 E-mail [info@habasit.com](mailto:info@habasit.com)  
[www.habasit.com](http://www.habasit.com)



Copyright Habasit AG  
 Subject to alterations  
 Printed in Switzerland  
 Publication data:  
 4397SRF.SEB-en0416HQR